## Exam 2 Spring 2015


Name:	Solutions	,	,		
	Last name	First name	-		

## Rules:

- No potty breaks.
- Turn off cell phones/devices.
- Closed book, closed note, closed neighbor.
- <u>WEIRD!</u> Do not write on the backs of pages. If you need more pages, ask me for some.

## **Reminders:**


- Verify that you have all pages.
- Don't forget to write your name.
- Read each question <u>carefully</u>.
- Don't forget to answer <u>every</u> question.



Title: Rails Project	Title: Manage Ads		
Description: The system should be de-	Description: As a system administrator, I		
veloped using Ruby on Rails, so that it	want to be able to manage ads, so that I		
will be less costly to develop and main-	can remove expired and erroneous ads.		
tain.			
Estimate: 120 days	Estimate: 2 days		
"Manage Ads" is better writte	2n.		
Roblems W "Rails Project":			
•	· · (0 · )		
- Describes specific techno	logies (Kails )		
- Not written in a way t	hat a customer could understand		
- Difficult/impossible to est			
- Its large estimate (120 days) is unlikely to be very			
accurate	•		
- Not a valuable requireme	A I di automar		
NOT A VANCOIC TEACHTETING	AT THE CUSTOFFIER		

6. [14pts] Create a <u>domain model</u> (using class diagram notation) based on the following description. Model only things that are specifically described. Include all conceptual classes, attributes, associations, and generalization relationships mentioned. Label all associations and include all multiplicities. Do not model "the system."

You have been asked to build a conference-management system. Each conference has a name, start and end dates, and a venue. Conference venue has a name and an address. The venue also has rooms, each with a location description (e.g., "room 511") and a seating capacity. A conference can have several tracks, each with a topic (e.g., "research", "tutorial", "industry") and a designated room. Each track has one or more sessions. A session has title, a start time and an end time, and one or more presentations. There are three types of presentation: paper talk, tutorial, and demo. All presentations have a presenter name, title, and duration. A paper talk has a DOI code. A tutorial has a textbook description. A demo has a download URL.



7.	[3pts] Which of the following are most vulnerable to injection attacks?
	a. Session IDs
	b. Registry keys
	c. Network communications
	d. SQL queries based on user input
	e. None of the above are vulnerable to injection attacks
8.	[3pts] True or false? <u>Authorization</u> aims to determine who the user is, and <u>authentication</u> aims to restrict what operations/data the user can access.
	a. True
	b. False Fipped
9.	[8pts] Consider a web app that displays user posts, similar to Twitter and Facebook. The developers of the web app have accidentally left it vulnerable to cross-site scripting attacks. Explain how you would perform a cross-site scripting attack against the web app. Be thorough in your explanation.
	I would set up the attack by creeting JavaScript that
	does something harmful. For example, it might redirect  the current webpage to one that I made. My web page  might try to trick the user into entering his/her usurname  and password, which I would then steal.
	To perform the attack, I would make a user post using
	the was app. My post would contain HTML code that
	Causes my Java Script to execute when loaded. Thus, any
	web app wer who viewed my post would fall victim to
	my attack.

0	Unit tests should not perform I/O, whereas integration tests may do so			
a.	Onit tests should not perform 1/O, whereas integration tests may do so			
b.	Unit tests should be deterministic, whereas integration tests may have non-determinism			
c.	Unit tests should be fast (less than half a second), whereas integration tests may be slower			
d.	Unit tests must be black-box tests, whereas integration tests must be white-box tests			
e.	None of the above (they are all differences)			
11. [3pts] \	Which of the following is <u>not</u> a difference between black-box and white-box testing?			
a.	Black-box tests are based only on the interface of a component, whereas white-box tests are based on the implementation			
b.	Black-box tests often focus on boundary cases, whereas white-box tests tend not to			
c.	White-box tests often aim to achieve particular levels of code-coverage, whereas black-box tests do not			
d.	In test-driven development, the developers generally write black-box tests, and not white-box tests			
<u>e.</u>	None of the above (they are all differences)			
12. [3pts] 1	n, you hook everything together and treat the system like a black box.			
a.	test-driven development			
<b>b</b> .	system testing			
c.	unit testing			
d.	integration testing			
e.	None of the above			

10. [3pts] Which of the following is <u>not</u> a difference between unit tests and integration tests?


13. [7pts] Fill in the table below with a test suite that provides <u>condition coverage</u> of the gcd function from the Figure 1. In the Covers column, list the relevant labeled edges in the CFG that each test case covers. Some cells in the table may be left blank.

	Inp	out	Expected	Covers
	X	у	Output	00.00
	l	1	(Final Land	A
	5 1	2		B, C, E, G
alternative	(2	1	1	B, C, D, G
alte				
7	3	2		B, C, D, C, E, G


14. [7pts] Fill in the table below with a test suite that provides <u>path coverage</u> of the gcd function from the Figure 1. In the Covers column, list the relevant labeled edges in the CFG that each test case covers. Some cells in the table may be left blank. You need only cover executions that involve 1 iteration of the loop.

In x	out y	Expected Output	Covers
1	ı	l	A
2	ı	ı	B, C, D, H, G
1	2	ı	B, C, E, F, G
			B, G ← not possible

15. [14pts] Consider the following execution of a ticket-vendor system with the class diagram in Figure 2. There are two customers, Alice (Alice Adder, 901-555-1234) and Bob (Bob Bobby, 901-555-4321). Alice purchases a subscription-series reservation (date: 01/01/2015; series: 616) for a performance of the show, *Les Miserables*, on 03/03/2015 at 9:00pm. Note that there is also a 5:00pm performance on that same day. Alice's reservation includes two tickets (seats 5D and 5E). Because she's purchased them, neither ticket is available. Bob doesn't purchase any reservations at this time. Create an <u>object diagram</u> that depicts the model objects after this execution. Although there are no doubt many tickets/seats, you need only diagram the ones that Alice has purchased. Note that Figure 3 shows how to diagram instances of the seat qualifier.



16. [10pts] Match the design pattern to the situation to which you should apply it.



Your program must support switching among several different relational database APIs (e.g., MySQL, SQLite, Postgres), and each one varies slightly from the others.

Your program has to create and configure some big, complicated record objects before inserting them into a database.

Sending an SMS message requires lots of big, ugly code, involving connection, message, and other objects.

Your font-selector interface has many interrelated buttons and other widgets (e.g., such that when one button is pressed many other GUI widgets must be updated).

You're developing a server that must "listen" for request messages from the internet and process them as they arrive.

Your word-processing application must store data about each editing action so as to allow users to undo actions.

You want to let users create and run scripts inside your application.

- 17. [3pts] Software components with tighter \_\_\_\_\_ are generally more difficult to maintain than those with looser .
  - a. responsibilities
  - b. cohesion
  - c. interfaces
  - d. coupling
    - e. None of the above

## **Figures**




Figure 1. Control flow graph for the function gcd(x, y) that computes the greatest common divisor of x and y.




Figure 2. Class diagram for ticket-vendor system.




Figure 3. Example of how to diagram instances of the seat qualifier.