Multiple-Choice Questions:

| 1. | True or false? Generally, in practice, developers <u>exhaustively</u> test software. | | |
|----|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| | a. | True | |
| | b. | False | |
| | | | |
| 2. | True or | false? All "real" software contains bugs. | |
| | a. | True | |
| | b. | False | |
| | | | |
| 3. | Which | of the following is <u>not</u> a desirable quality of a unit test? | |
| | a. | No I/O | |
| | b. | Fast | |
| | c. | Non-deterministic | |
| | d. | Tests one property | |
| | e. | None of the above | |
| | | | |
| 4. | Which | of the following is true of exhaustive testing? | |
| | a. | Generally infeasible in practice | |
| | b. | Tests all possible inputs | |
| | c. | Typically results in an intractably large set of test cases even for small programs | |
| | d. | All of the above | |
| | e. | None of the above | |
| | | | |
| | | | |
| | | | |

| 5. | Which of the following is <u>not</u> a difference between unit tests and integration tests? | | |
|----|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|--|
| | a. | Unit tests should not perform I/O, whereas integration tests may do so | |
| | b. | Unit tests should be deterministic, whereas integration tests may have non-determinism | |
| | c. | Unit tests should be fast (less than half a second), whereas integration tests may be slower | |
| | d. | Unit tests must be black-box tests, whereas integration tests must be white-box tests | |
| | e. | None of the above (they are all differences) | |
| | | | |
| 6. | Which | of the following is <u>not</u> a difference between black-box and white-box testing? | |
| | a. | Black-box tests are based only on the interface of a component, whereas white-box tests are based on the implementation | |
| | b. | Black-box tests often focus on boundary cases, whereas white-box tests tend not to | |
| | c. | White-box tests often aim to achieve particular levels of code-coverage, whereas black-box tests do not | |
| | d. | White-box tests are made by programmers, whereas black-box tests are made by ordinary users | |
| | e. | None of the above (they are all differences) | |
| 7. | In | , you hook <u>everything</u> together and treat the system like a black box. | |
| | a. | test-driven development | |
| | b. | system testing | |
| | c. | unit testing | |
| | d. | integration testing | |
| | e. | None of the above | |

Solutions:

- 1. b
- 2. a
- 3. c
- 4. d
- 5. d
- 6. d
- 7. b